

```
<?xml version="1.0"?>
```

```
<JWM>
```

```
<!-- The root menu, if this is undefined you will not get a menu. -->
```

```
<!-- Additional RootMenu attributes: onroot, labeled, label -->
```

```
<RootMenu height="17" onroot="14">
```

```
  <Program icon="terminal.png" label="Terminal">gnome-terminal</Program>
```

```
  <Program icon="terminal.png" label="Pcmanfm">pcmanfm</Program>
```

```
  <Program icon="terminal.png" label="Firefox">firefox</Program>
```

```
  <Program icon="terminal.png" label="Sound">pavucontrol</Program>
```

```
  <Program icon="terminal.png" label="Vlc">vlc</Program>
```

```
  <Program icon="terminal.png" label="Gimp">gimp</Program>
```

```
  <Program icon="terminal.png" label="Office">libreoffice</Program>
```

```
<!-- #DEBIAN
```

```
  <Program icon="firefox.png" label="Www Browser">gnome-www-browser</Program>
```

```
  <Menu icon="folder.png" label="Applications">
```

```
    <Program icon="editor.png" label="Dia">dia</Program>
```

```
    <Program icon="www.png" label="Firefox">firefox</Program>
```

```
    <Program icon="gimp.png" label="Gimp">gimp</Program>
```

```
    <Program icon="mail.png" label="Mutt">
```

```
      xterm -e mutt
```

```
    </Program>
```

```
    <Program icon="word-processor.png" label="Open Office">
```

```
      ooffice
```

```
    </Program>
```

```
    <Program icon="chat.png" label="Pidgin">pidgin</Program>
```

```
    <Program icon="music.png" label="Rhythmbox">rhythmbox</Program>
```

```
    <Program icon="development.png" label="Xilinx ISE">
```

```
      /usr/local/xilinx/bin/ise
```

```
    </Program>
```

```
    <Program icon="video.png" label="Xine">gxine</Program>
```

```
  </Menu>
```

```
  <Menu icon="folder.png" label="Utilities">
```

```
    <Program icon="calculator.png" label="Calculator">xcalc</Program>
```

```
    <Program icon="font.png" label="Fonts">xfontsel</Program>
```

```
    <Program icon="viewer.png" label="Magnify">xmag</Program>
```

```
    <Program icon="programs.png" label="Synaptic">
```

```
      gksudo synaptic
```

```
    </Program>
```

```
    <Program icon="window.png" label="Window Properties">
```

```
      xprop | xmessage -file -
```

```
    </Program>
```

```
  </Menu>
```

```
-->
```

```
<Include>/etc/jwm/debian-menu</Include>
```

```
<Separator/>
<Program icon="lock.png" label="Lock">
  i3lock
</Program>
<Separator/>
<Restart label="Restart" icon="restart.png"/>
<Exit label="Exit" confirm="true" icon="quit.png"/>
</RootMenu>
```

```
<Group>
  <Class>Pidgin</Class>
  <Option>sticky</Option>
</Group>
```

```
<Group>
  <Name>gkrellm</Name>
  <Option>nolist</Option>
  <Option>sticky</Option>
</Group>
```

```
<Group>
  <Name>xterm</Name>
  <Option>vmax</Option>
  <Option>icon:terminal.png</Option>
</Group>
```

```
<!-- Visual Styles -->
```

```
<WindowState>
```

```
  <Font>*-fixed-*-*-*10-*-*-*-*-*</Font>
  <Width>4</Width>
  <Height>20</Height>
```

```
  <Active>
    <Text>white</Text>
```

```
<!-- #DEBIAN
```

```
  <Title>#70849d:#2e3a67</Title>
```

```
-->
```

```
  <Title>#1c3e0b:#7f9376</Title>
```

```
  <Outline>black</Outline>
```

```
  <Opacity>0.5</Opacity>
```

```
</Active>
```

```
<Inactive>
```

```
  <Text>black</Text>
```

```
  <Title>#808488:#d9ceb8</Title>
```

```
  <Outline>black</Outline>
```

```
<Opacity>0.5:0.9:0.1</Opacity>
</Inactive>
```

```
</WindowStyle>
```

```
<TaskListStyle>
  <Font>*-fixed-*-r-*-10-*-*-*-*-*</Font>
  <ActiveForeground>black</ActiveForeground>
  <ActiveBackground>white:#133296</ActiveBackground>
  <Foreground>white</Foreground>
  <Background>:black</Background>
</TaskListStyle>
```

```
<!-- Additional TrayStyle attribute: insert -->
<TrayStyle>
  <Font>*-fixed-*-r-*-10-*-*-*-*-*</Font>
  <Background>#1e1919</Background>
  <Foreground>orange</Foreground>
  <Opacity>0.75</Opacity>
</TrayStyle>
```

```
<PagerStyle>
  <Outline>black</Outline>
  <Foreground>gray90</Foreground>
  <Background>#808488</Background>
  <ActiveForeground>#70849d</ActiveForeground>
  <ActiveBackground>#2e3a67</ActiveBackground>
</PagerStyle>
```

```
<MenuStyle>
  <Font>*-fixed-*-r-*-10-*-*-*-*-*</Font>
  <Foreground>#007283</Foreground>
  <Background>#b7c1ac</Background>
  <ActiveForeground>orange</ActiveForeground>
  <ActiveBackground>#70849d:#2e3a67</ActiveBackground>
  <Opacity>0.75</Opacity>
</MenuStyle>
```

```
<PopupStyle>
  <Font>*-fixed-*-r-*-10-*-*-*-*-*</Font>
  <Outline>black</Outline>
  <Foreground>black</Foreground>
  <Background>yellow</Background>
</PopupStyle>
```

```
<IconPath>
  /usr/share/icons/wm-icons/32x32-gant
```

</IconPath>

<!-- Virtual Desktops -->

<!-- Desktop tags can be contained within Desktops for desktop names. -->

<Desktops width="4" height="2">

<!-- Default background. Note that a Background tag can be contained within a Desktop tag to give a specific background for that desktop.

-->

<Background type="image">/export0/images/formulae.jpg</Background>

</Desktops>

<!-- Double click speed (in milliseconds) -->

<DoubleClickSpeed>400</DoubleClickSpeed>

<!-- Double click delta (in pixels) -->

<DoubleClickDelta>2</DoubleClickDelta>

<!-- The focus model (sloppy or click) -->

<FocusModel>sloppy</FocusModel>

<!-- The snap mode (none, screen, or border) -->

<SnapMode distance="10">border</SnapMode>

<!-- The move mode (outline or opaque) -->

<MoveMode>opaque</MoveMode>

<!-- The resize mode (outline or opaque) -->

<ResizeMode>opaque</ResizeMode>

<!-- <StartupCommand></StartupCommand -->

<StartupCommand>volumeicon</StartupCommand>

<StartupCommand>/usr/bin/pulseaudio</StartupCommand>

<StartupCommand>setxkbmap fi</StartupCommand>

<StartupCommand>feh --bg-scale '/home/tester/test/background.jpg'</StartupCommand>

<StartupCommand>banshee --hide</StartupCommand>

<StartupCommand>conky</StartupCommand>

<StartupCommand>tint2</StartupCommand>

<!-- Key bindings -->

<Key key="Up">up</Key>

<Key key="Down">down</Key>

<Key key="Right">right</Key>

<Key key="Left">left</Key>

<Key key="h">left</Key>

<Key key="j">down</Key>

<Key key="k">up</Key>

<Key key="l">right</Key>

<Key key="Return">select</Key>

<Key key="Escape">escape</Key>

<Key mask="A" key="Tab">next</Key>
<Key mask="A" key="F4">close</Key>
<Key mask="A" key="#">desktop#</Key>
<Key mask="A" key="F1">root:1</Key>
<Key mask="A" key="F2">window</Key>
<Key mask="A" key="F10">maximize</Key>
<Key mask="A" key="Right">rdesktop</Key>
<Key mask="A" key="Left">ldesktop</Key>
<Key mask="A" key="Up">udesktop</Key>
<Key mask="A" key="Down">ddesktop</Key>

</JWM>